

Contract Number GS-07F-0221V



http://www.immixgroup.com/uploadedFiles/Manufacturers/Products_by_Contract/GS-07F-0221V_764.xls

Part#	Description	List Price	Price
CALM-1500C	Model 1500CSF (same end connections), 1500CRF (opposite end connections) ICE BANK Tanks. 486 nominal ton-hours each, (2) - 4" flanged connections, 89"(w) x 273"(L) x 102"(H). Price is per tank for quantities of six or less Model 1500C Tanks. For quanti	\$58.000,00	\$28.450,74
CALM-1190C-4F	Model 1190C4F ICE Bank Tank. 162 nominal ton-hours, (2) 4" flanged connections, 89" diameter x 102" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1190C tanks. Model 1190C tanks can be installed in groups of two, three or four. Group	\$19.800,00	\$9.712,49
CALM-1190C-TB	Add for total burial (1190C-only). Buried tank option allows one (1) foot below grade burial of tank on a concrete pad. A layer of wood chips can be used to cover the tank. The price includes thicker tank walls, a center support, and fill port extension	\$2.300,00	\$1.128,22
CALM-1190C-MAT	Add for Mixair Option. Mixair tank adds the ability for air agitation to occur during discharge. See CALMAC catalog for discharge performance details. Models with Mixair require properly sized air blower and can only use Ultrasonic inventory meters. Pr	\$1.250,00	\$613,16
CALM-1190A	Model 1190A ICE BANK Tank 162 nominal ton-hours, (2) 2" flanged connections, 89" diameter x 102" tall, fork lift base. Model A tanks cannot be assembled into groups.	\$18.600,00	\$9.123,86
CALM-1190A-ST	Model 1190A Salt Tank Same as a Model 1190A tank but includes necessary hardware to operate with selected salts for freeze points below 32 deg. F. Includes stainless steel mixing pump factory mounted. (Electric service required, extra and installed by C	\$21.000,00	\$10.301,13
CALM-1190A-AS28ES	Add for salt (28 degree eutectic salt - freeze point depressant). For inclusion in 1190A salt tank. Shipped separately and installed by Contractor or Authorized Government Reseller. See manual for ton-hours available.	\$1.400,00	\$686,74
CALM-1190A-AS12ES	Add for salt (12 degree eutectic salt - freeze point depressant) For inclusion in 1190A salt tank. Shipped separately and installed by Contractor or Authorized Government Reseller. See manual for ton-hours available.	\$4.000,00	\$1.962,12

Contract Number GS-07F-0221V



CALM-1098C-2F	Model 1098C2F Tank. 98 nominal ton-hours, (2) 4" flanged connections, 89" diameter x 68" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1098C tanks. Model 1098C tanks can be installed in groups of two, three or four. Groupings of fou	\$14.300,00	\$7.014,58
CALM-1098C-3F	Model 1098C3F ICE BANK Tank. 98 nominal ton-hours, (3) 4" flanged connections, 89" diameter x 68" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1098C tanks. Model 1098C tanks can be installed in groups of two, three or four. Groupin	\$14.400,00	\$7.063,63
CALM-1098C-4F	Model 1098C4F ICE BANK Tank. 98 nominal ton-hours, (4) 4" flanged connections, 89" diameter x 68" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1098C tanks. Model 1098C tanks can be installed in groups of two, three or four. Groupin	\$14.500,00	\$7.112,68
CALM-1500C-7	Additional Model 1500C ICE BANK tanks over six per project. Price is per tank for greater than six Model 1500C tanks on the same project. A 1500C & 1320C lifting bar is required for Model 1500C tanks.	\$56.600,00	\$27.764,00
CALM-1098C-TB	Add for Total Burial (1098C-only). Buried tank option allows one (1) foot below grade burial of tank on a concrete pad. A layer of wood chips can be used to cover the tank. The price includes thicker tank walls, a center support, and fill port extension	\$1.950,00	\$956,53
CALM-1098C-MAT	Add for mixair (C or A Models). Mixair tank adds the ability for air agitation to occur during discharge. See CALMAC catalog for discharge performance details. Models with Mixair require properly sized air blower and can only use Ultrasonic inventory me	\$1.150,00	\$564,11
CALM-1098A	Model 1098A ICE BANK Tank 98 nominal ton-hours, (2) 2" flanged connections, 89" diameter x 68" tall, fork lift base. Model A tanks cannot be assembled into groups.	\$13.300,00	\$6.524,05

Contract Number GS-07F-0221V



CALM-1098A-ST	Model 1098A Salt tank Same as Model 1098A tank but includes necessary hardware to operate with selected salts for freeze points below 32 deg. F. Includes stainless steel mixing pump factory mounted. (Electric service required, extra and installed by Co	\$15,700,00	\$7,701,32
CALM-1098A-AS28	Add for salt (28 degree) For inclusion in 1098A salt tank, shipped separately and installed by Contractor or Authorized Government Reseller. See manual for ton-hours available.	\$850,00	\$416,95
CALM-1098A-AS12	Add for salt (12 degree) For inclusion in 1098A salt tank, shipped separately and installed by Contractor or Authorized Government Reseller. See manual for ton-hours available.	\$2,400,00	\$1,177,27
CALM-1105C-2F	Model 1105C2F Tank. 100 nominal ton-hours, (2) 4" flanged connections, 74" diameter x 102" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1105C tanks. Model 1105C tanks can be installed in groups of two, three or four. Groupings of t	\$15,300,00	\$7,505,11
CALM-1105C-3F	Model 1105C3F ICE BANK Tank. 100 nominal ton-hours, (3) 4" flanged connections, 74" (w) x 76" diameter x 102" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1105C tanks. Model 1105C tanks can be installed in groups of two, three or fo	\$15,400,00	\$7,554,16
CALM-1105C-4F	Model 1105C4F ICE BANK Tank. 100 nominal ton-hours, (4) 4" flanged connections, 74" diameter x 102" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1105C tanks. Model 1105C tanks can be installed in groups of two, three or four. Groupi	\$15,500,00	\$7,603,22
CALM-1105C-U4F	Model 1105CU4F ICE BANK Tank. 100 nominal ton-hours, (4) 4" flanged connections, 74" diameter x 102" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1105C tanks. Model 1105C tanks can be installed in groups of two, three or four. Grou	\$16,300,00	\$7,995,64
CALM-1500C-TB	Add for Total Burial. Buried tank option allows one (1) foot below grade burial of tank on a concrete pad. A layer of wood chips can be used to cover the tank. The price includes thicker tank walls, a center support, one set of shut off valves with acce	\$6,300,00	\$3,090,34

Contract Number GS-07F-0221V



CALM-1105A	Model 1105A ICE BANK Tank 100 nominal ton-hours, (2) 2" flanged connections, 74" diameter x 102" tall, fork lift base. Model A tanks cannot be assembled into groups.	\$13.800,00	\$6.769,31
CALM-1082C-2F	Model 1082C2F ICE BANK Tank. 82 nominal ton-hours, (2) 4" flanged connections, 74"(w) x 76" (L) x 85" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1082C tanks. Model 1082C tanks can be installed in groups of two, three or four. Gro	\$13.300,00	\$6.524,05
CALM-1082C-3F	Model 1082C3F ICE BANK Tank. 82 nominal ton-hours, (3) 4" flanged connections, 74"(w) x 76" (L) x 85" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1082C tanks. Model 1082C tanks can be installed in groups of two, three or four. Gro	\$13.400,00	\$6.573,10
CALM-1082C-4F	Model 1082C4F ICE BANK Tank. 82 nominal ton-hours, (4) 4" flanged connections, 74"(w) x 76" (L) x 85" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1105C tanks. Model 1082C tanks can be installed in groups of two, three or four. Grou	\$13.500,00	\$6.622,16
CALM-1082C-U4F	Model 1082CU4F ICE BANK Tank. 82 nominal ton-hours, (4) 4" flanged connections, 74"(w) x 76" (L) x 85" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1082C tanks. Model 1105C tanks can be installed in groups of two, three or four. Gr	\$14.200,00	\$6.965,53
CALM-1082A	Model 1082A ICE BANK Tank. 82 nominal ton-hours, (2) 2" flanged connections, 74"(w) x 76" (L) x 85" tall, fork lift base. Model A tanks cannot be assembled into groups	\$11.800,00	\$5.788,25
CALM-1082C-MAT	Add for Mixair. Mixair tank adds the ability for air agitation to occur during discharge. See CALMAC catalog for discharge performance details. Models with Mixair require properly sized air blower and can only use Ultrasonic inventory meters. Price for	\$900,00	\$441,48
CALM-1082A-ST	Model 1082A Salt tank Same as Model 1082A tank but includes necessary hardware to operate with selected salts for freeze points below 32 deg. F. Includes stainless steel mixing pump factory mounted. (Electric service required, extra and installed by Con	\$14.200,00	\$6.965,53

Contract Number GS-07F-0221V



CALM-1082A-AS28	Add for salt (28 degree) For inclusion in 1082A salt tank, shipped separately and installed by Contractor or Authorized Government Reseller. See manual for ton-hours available.	\$750,00	\$367,90
CALM-1082A-AS12	Add for salt (12 degree) For inclusion in 1082A salt tank, shipped separately and installed by Contractor or Authorized Government Reseller. See manual for ton-hours available.	\$2,000,00	\$981,06
CALM-1500C-MAT	Add for Mixair Tank Option. Mixair tank adds the ability for air agitation to occur during discharge. See CALMAC catalog for discharge performance details. Models with Mixair require properly sized air blower and can only use Ultrasonic meters. Price f	\$3,800,00	\$1,864,01
CALM-1045C-2F	Model 1045C2F ICE BANK Tank. 41 nominal ton-hours, (2) 4" flanged connections, 74"(w) x 76"(L) x 49" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1045C tanks. Model 1045C tanks can be installed in groups of two, three or four. Grou	\$9,700,00	\$4,758,14
CALM-1045C-3F	Model 1045C3F ICE BANK Tank. 41 nominal ton-hours, (3) 4" flanged connections, 74"(w) x 76"(L) x 49" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1045C tanks. Model 1045C tanks can be installed in groups of two, three or four. Grou	\$9,800,00	\$4,807,19
CALM-1045C-4F	Model 1045C4F ICE BANK Tank. 41 nominal ton-hours, (4) 4" flanged connections, 74"(w) x 76"(L) x 49" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1045C tanks. Model 1045C tanks can be installed in groups of two, three or four. Grou	\$9,900,00	\$4,856,25
CALM-1045C-U4F	Model 1045CU4F ICE BANK Tank. 41 nominal ton-hours, (4) 4" flanged connections, 74"(w) x 76" (L) x 85" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1045C tanks. Model 1045C tanks can be installed in groups of two, three or four. Gr	\$10,800,00	\$5,297,72
CALM-1045A	Model 1045A ICE BANK Tank 45 nominal ton-hours, (2) 2" flanged connections, 74"(w) x 76" (L) x 49" tall, fork lift base. Model A tanks cannot be assembled into groups.	\$8,500,00	\$4,169,50
CALM-LB1	Lifting Bar (For 1190C, 1098C, 1105C, 1082C, 1045C Tanks)	\$350,00	\$171,69
CALM-LB2	Lifting Bar (For Model 1320C and 1500C Tanks)	\$800,00	\$392,42
CALM-GMS	Glycol Management System (Glycol make up system)	\$7,700,00	\$3,777,08

Contract Number GS-07F-0221V



CALM-SIIM	Standard Ice Inventory Meter (One per project, std tanks)	\$2,300.00	\$1,128.22
CALM-UIIM	Ultrasonic Ice Inventory Meter (One per project Mix air tanks)	\$5,300.00	\$2,599.81
CALM-1320C	Model 1320CSF (same end connections), 1320CRF (opposite end connections) IceBank Tanks. 324 nominal ton-hours each, (2) - 4" flanged connections, 89"(w) x 183"(L) x 102"(H). A 1500C & 1320C lifting bar is required for Model 1320C tanks.	\$38,200.00	\$18,738.25
CALM-3FLEX	3' flex connector for model A Tank (Replacement part for older tanks)	\$550.00	\$269.79
CALM-4FLEX	4' flex connector for model A Tank (Replacement part for older tanks)	\$600.00	\$294.32
CALM-5FLEX	5' flex connector for model A Tank (Replacement part for older tanks)	\$650.00	\$318.84
CALM-SOVK	Model C Tank Shut-off Valve Kit (2- 4" flanged lug type ball shut off valves for field installation)	\$950.00	\$466.00
CALM-BVK	Model C Tank Buried Valve Kit (2-V)	\$1,600.00	\$784.85
CALM-1190C-EJK	1190C Expansion Joint Kit (4 packs). Required if assembling more than (3) 1190C tanks for expansion provisions. Field installed, insulated by others.	\$950.00	\$466.00
CALM-LHL	Lifting Hook Lid (option for A Style tanks only)	\$370.00	\$181.50
CALM-CT	Coolant Tester	\$460.00	\$225.64
CALM-5MB	5.0 hp Mixair Blower (Models with Mixair require properly sized air blower and can only use Ultrasonic inventory meters.)	\$11,200.00	\$5,493.94
CALM-75MB	7.5 hp Mixair Blower (Models with Mixair require properly sized air blower and can only use Ultrasonic inventory meters.)	\$8,300.00	\$4,071.40
CALM-1320C-TB	Add for Total Burial. Buried tank option allows one (1) foot below grade burial of tank on a concrete pad. A layer of wood chips can be used to cover the tank. The price includes thicker tank walls, a center support, one set of shut off valves with acce	\$4,800.00	\$2,354.54
CALM-10MB	10.0 hp Mixair Blower (Models with Mixair require properly sized air blower and can only use Ultrasonic inventory meters.)	\$11,800.00	\$5,788.25
CALM-ASK	Aluminum Skin Kit (replacement part) (Required for mix air tank. Contact Contractor or Authorized Government Reseller for proper size.)	\$1,000.00	\$490.53
CALM-AT	Algicide treatment (pint) one / module / 2 years. First 2 year treatment included with new tanks.	\$55.00	\$26.98
CALM-TR	Transducer (replacement part for inventory meter)	\$1,100.00	\$539.58

Contract Number GS-07F-0221V



CALM-1320C-MAT	Add for Mixair Tank Option. Mixair tank adds the ability for air agitation to occur during discharge. See CALMAC catalog for discharge performance details. Models with Mixair require properly sized air blower and can only use Ultrasonic meters. Price f	\$2.500,00	\$1.226,32
CALM-1190C-2F	Model 1190C2F ICE BANK Tank. 162 nominal ton-hours, (2) 4" flanged connections, 89" diameter x 102" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1190C tanks. Model 1190C tanks can be installed in groups of two, three or four. Groupi	\$19.600,00	\$9.614,39
CALM-1190C-3F	Model 1190C3F ICE BANK Tank. 162 nominal ton-hours, (2) 4" flanged connections, 89" diameter x 102" tall. A 1220C, 1190C and 1098C lifting bar is required for Model 1190C tanks. Model 1190C tanks can be installed in groups of two, three or four. Groupi	\$19.700,00	\$9.663,44