

Title: Ruthenium(II) Arene Complexes Bearing Tris(pyrazolyl)methanesulfonate Capping Ligands. Electrochemistry, Spectroscopic, and X-ray Structural Characterization

Author(s): Marchetti, Fabio²; Pettinari, Claudio¹; Pettinari, Riccardo¹; Cerquetella, Adele¹; **Martins, Luísa M. D. R. S.**^{3,4}; Guedes da Silva, M. Fátima C.^{3,5}; Silva, Telma F. S.³; Pombeiro, Armando J. L.³

Source: Organometallics

Volume: 30 **Issue:** 22 **Pages:** 6180-6188 **DOI:** 10.1021/om200713v **Published:** Nov 28 2011

Document Type: Article

Language: English

Abstract: Novel [Ru(L)(Tpms)]Cl and [Ru(L)(Tpms(Ph))]Cl complexes (L = p-cymene, benzene, or hexamethylbenzene, Tpms = tris(pyrazolyl)-methanesulfonate, Tpms(Ph) = tris(3-phenylpyrazolyl)methanesulfonate) have been prepared by reaction of [Ru(L)(μ-Cl)(2)](2) with Li[Tpms] and Li[Tpms(Ph)], respectively. [Ru(p-cymene)(Tpms)]BF₄ has been synthesized through a metathetic reaction of [Ru(p-cymene)(Tpms)]Cl with AgBF₄. [RuCl(cod)(Tpms)] (cod = 1,5-cyclooctadiene) and [RuCl(cod)(Tpms(Ph))] are also reported, being obtained by reaction of [RuCl₂(cod)(MeCN)(2)] with Li[Tpms] and Li[Tpms(Ph)], respectively. The structures of the complexes and the coordination modes of the ligands have been established by IR, NMR, and single-crystal X-ray diffraction (for [RuL(Tpms)]X (L = p-cymene or HMB, X = Cl; L = p-cymene, X = BF₄)) studies. Electrochemical studies showed that each complex undergoes a single-electron R-II → R-III oxidation at a potential measured by cyclic voltammetry, allowing to compare the electron-donor characters of the tris(pyrazolyl)methanesulfonate and arene ligands, and to estimate, for the first time, the values of the Lever E-L ligand parameter for Tpms(Ph), HMB, and cod.

KeyWords Plus: Coordination Chemistry; 1,3,5-Triaza-7-Phosphaadamantane PTA; Peroxidative Oxidation; Ferrocene Derivatives; Catalyst Precursors; Crystal-Structures; Rhenium Complexes; Electron-Transfer; Anticancer Drugs; Redox Potentials

Reprint Address: Pettinari, C (reprint author), Univ Carnerino, Sch Pharm, S Agostino 1, I-62032 Camerino, Italy.

Addresses:

1. Univ Carnerino, Sch Pharm, I-62032 Camerino, Italy
2. Univ Carnerino, Sch Sci & Technol, I-62032 Camerino, Italy
3. Univ Tecn Lisboa, Inst Super Tecn, Ctr Quim Estrutural, P-1049001 Lisbon, Portugal
4. Inst Super Engn Lisboa, Area Dept Engn Quim, P-1059007 Lisbon, Portugal
5. ULHT Lisbon, Univ Lusofona Humanidades & Tecnol, P-1749024 Lisbon, Portugal

E-mail Address: claudio.pettinari@unicam.it; lmartins@deq.isel.pt; fatima.guedes@ist.utl.pt;

pombeiro@ist.utl.pt

Funding:

Funding Agency	Grant Number
Fundacao para a Ciencia e a Tecnologia (FCT), Portugal	PEst-OE/QUI/UI0100/2011
University of Camerino	

Publisher: Amer Chemical SOC

Publisher Address: 1155 16TH ST, NW, Washington, DC 20036 USA

ISSN: 0276-7333

Citation: MARCHETTI, Fabio; PETTINARI, Claudio; PETTINARI, Riccardo; CERQUETELLA, Adele; MARTINS, Luísa M. D. R. S.; SILVA, M. Fátima C. Guedes da; SILVA, Telma F. S.; POMBEIRO, Armando J. L. - Ruthenium(II) Arene Complexes Bearing Tris(pyrazolyl)methanesulfonate Capping Ligands. *Electrochemistry, Spectroscopic, and X-ray Structural Characterization. Organometallics*. ISSN 0276-7333. Vol. 30, n.º 22 (2011) p. 6180-6188.